VB100 Test Report

port

Intego Intego AV

June 30, 2021



Test result

Test passed

Product version **1.0.1.7**

Test date: June 5, 2021

Test methodology VB100 1.3

Test platform Microsoft Windows 10 Pro N, 64-bit, 10.0.19041

Certification
100.00% malware detected



0.000% raise alarms

Diversity 100.00% malware detected

Virus Bulletin

Covering the global threat landscape

VB100 TEST REPORT







June 30, 2021 VB100 TEST REPORT



Executive summary

We tested **Intego AV** (version 1.0.1.7) on June 5, 2021, on Microsoft Windows 10 Pro N, 64-bit, 10.0.19041, as per the 1.3 version of the VB100 methodology.

The tested product has successfully met the VB100 test criteria.

Test criteria:

- The product must detect at least 99.5% of all test cases in the Certification set (malicious samples).
- The product must not generate more than 0.05% false alarms in the Clean set (legitimate program samples).

Where to find more details

For detailed test results, please consult the rest of the report. You may also find the links below useful for up-to-date information on how to interpret the report data.

- **Report reader's guide** (Link) Everything you find in this report, explained.
- Testing methodology, version 1.3 (Link) Learn exactly how we test.
- VB100 on the web (Link) VB100 news and certified products.

June 30, 2021 VB100 TEST REPORT



Test sets and product response

The VB100 test uses multiple sets of malicious and clean test cases to verify the ability of the tested product to detect malware, and to do so without generating false alarms for legitimate programs.

AT A GLANCE

CERTIFICATION	CLEAN	DIVERSITY
Description	Description	Description
Common and prevalent Windows malware recently observed in the the wild.	A random selection of some widely and less widely used legitimate program files.	Assorted malicious Windows executables, including less clear cut cases and more obscure threats.
Туре	Туре	Туре
	Ŷ	
Outcome	Outcome	Outcome
Pass 🔗	Pass 🕢	N/A
Detection rate	False alarm rate	Detection rate
100.00% Best possible outcome: 100.00% Requirement: >= 99.5%	0.000% Best possible outcome: 0.00% Requirement: >= 0.50%	100.00% Best possible outcome: 100.00% Requirement: N/A supplementary
	DETAILED TEST RESULTS	
Total cases tested	Total cases tested	Total cases tested
903	99,999	999
Cases detected	Cases with false alarm	Cases detected
903	0	999
Cases missed	Cases without false alarm	Cases missed
0	99,999	0
	TEST SET COMPOSITION	
Windows PE executables	Windows PE executables	Windows PE executables
903	29,118	999
Other file types	Other file types	Other file types
0	70,881	0

June 30, 2021 VB100 TEST REPORT



Report notes

Report notes contain complementary information that may be of interest to the report reader. Likewise, any extraordinary circumstance—particularly, those that may affect the test results—are recorded in these notes.

During this test, no such notes were generated.





Virus Bulletin Ltd

Manor House, Office 6, Howbery Business Park

Wallingford OX10 8BA, United Kingdom +44 20 3920 6348

editorial@virusbulletin.com

https://www.virusbulletin.com/

Head of Testing: Péter Karsai

Security Test Engineers: Gyula Hachbold, Adrian Luca, Csaba Mészáros, Tony Oliveira, Ionuţ Răileanu

Sales Executive: Allison Sketchley

Editorial Assistant: Helen Martin